

RESULT OF EVALUATION OF BIDS

E-Tender No.E922/RC/TNMSC/ENGG/2023,Dt.22.02.2023

ONLINE TENDER FOR FIXING RATE CONTRACT FOR SUPPLY OF OXYGEN CYLINDER TO VARIOUS GOVT. INSTITUTIONS

Sl. No	Name of the Bidder	Technical Evaluation Report	Commercial Evaluation Report	Reason for rejection
Sch.1a. Oxygen Cylinder B Type with Flow meter with Oxygen Cylinder stand with MS Type				
1	M/s. Madras Surgicals & Chemicals Make : M/s.Beijing Tianhai Industry Co. Ltd.	Responsive	Responsive	Nil
2	M/s. Safe Pro Fire Services Pvt. Ltd. Make: M/s.Star Cylinders, Mumbai	Responsive	Non-Responsive	Despite given chance, the bidder did not satisfy the following commercial points:- 1. Manufacturer authorization certificate not furnished (Letter was dated on 11.05.2021). 2. PESO license certificate not furnished neither by the manufacturer (Validity expired and renewal certificate not furnished) nor by the bidder as a non-manufacturer bidder. 2. Affidavit confirming that the performance statement given is correct along with copy of purchase order, copy of invoices, proof of payment received from Purchasers, documentary evidence (end user certificate) in support of satisfactory completion of orders and function as stated above – Not furnished.
3	M/s. Solokrafts Industries Make : M/s.Everest Kanto Cylinder Limited	Responsive	Responsive	Nil
4	M/s. Thirupathi Enterprises Make: M/s.Rama Cylinder	Responsive	Responsive	Nil
Sch.1b. Oxygen Cylinder B Type with Flow meter with Oxygen Cylinder stand with SS Type				

Sl. No	Name of the Bidder	Technical Evaluation Report	Commercial Evaluation Report	Reason for rejection
1	M/s. Madras Surgicals & Chemicals Make : M/s.Beijing Tianhai Industry Co. Ltd.	Responsive	Responsive	Nil
2	M/s. Safe Pro Fire Services Pvt. Ltd. Make: M/s.Star Cylinders, Mumbai	Responsive	Non-Responsive	Despite given chance, the bidder did not satisfy the following commercial points:- 1. Manufacturer authorization certificate not furnished (Letter was dated on 11.05.2021). 2. PESO license certificate not furnished neither by the manufacturer (Validity expired and renewal certificate not furnished) nor by the bidder as a non-manufacturer bidder. 2. Affidavit confirming that the performance statement given is correct along with copy of purchase order, copy of invoices, proof of payment received from Purchasers, documentary evidence (end user certificate) in support of satisfactory completion of orders and function as stated above – Not furnished.
3	M/s. Solokrafts Industries Make : M/s.Everest Kanto Cylinder Limited	Responsive	Responsive	Nil
4	M/s. Thirupathi Enterprises Make: M/s.Rama Cylinder	Responsive	Responsive	Nil
Sch.2a. Oxygen Cylinder D Type with Flow meter with Oxygen Cylinder stand with MS Type				
1	M/s. Madras Surgicals & Chemicals Make : M/s.Beijing Tianhai Industry Co. Ltd.	Responsive	Responsive	Nil

Sl. No	Name of the Bidder	Technical Evaluation Report	Commercial Evaluation Report	Reason for rejection
2	M/s. Safe Pro Fire Services Pvt. Ltd. Make: M/s.Star Cylinders, Mumbai	Responsive	Non-Responsive	Despite given chance, the bidder did not satisfy the following commercial points:- 1. Manufacturer authorization certificate not furnished (Letter was dated on 11.05.2021). 2. PESO license certificate not furnished neither by the manufacturer (Validity expired and renewal certificate not furnished) nor by the bidder as a non-manufacturer bidder. 2. Affidavit confirming that the performance statement given is correct along with copy of purchase order, copy of invoices, proof of payment received from Purchasers, documentary evidence (end user certificate) in support of satisfactory completion of orders and function as stated above – Not furnished.
3	M/s. Solokrafts Industries Make : M/s.Everest Kanto Cylinder Limited	Responsive	Responsive	Nil
4	M/s. Thirupathi Enterprises Make: M/s.Rama Cylinder	Responsive	Responsive	Nil
Sch.2b. Oxygen Cylinder D Type with Flow meter with Oxygen Cylinder stand with SS Type				
1	M/s. Madras Surgicals & Chemicals Make : M/s.Beijing Tianhai Industry Co. Ltd.	Responsive	Responsive	Nil
2	M/s. Safe Pro Fire Services Pvt. Ltd. Make: M/s.Star Cylinders, Mumbai	Responsive	Non-Responsive	Despite given chance, the bidder did not satisfy the following commercial points:- 1. Manufacturer authorization certificate not furnished (Letter was dated on 11.05.2021). 2. PESO license certificate not

Sl. No	Name of the Bidder	Technical Evaluation Report	Commercial Evaluation Report	Reason for rejection
				<p>furnished neither by the manufacturer (Validity expired and renewal certificate not furnished) nor by the bidder as a non-manufacturer bidder.</p> <p>2. Affidavit confirming that the performance statement given is correct along with copy of purchase order, copy of invoices, proof of payment received from Purchasers, documentary evidence (end user certificate) in support of satisfactory completion of orders and function as stated above – Not furnished.</p>
3	M/s. Solokrafts Industries Make : M/s.Everest Kanto Cylinder Limited	Responsive	Responsive	Nil
4	M/s. Thirupathi Enterprises Make: M/s.Rama Cylinder	Responsive	Responsive	Nil